

Document: #HT000200

Document Title: Ti-1000ZT printer setup

Product(s): Ti-1000ZT

Procedure:

The Zebra driver can be downloaded here:

https://www.zebra.com/us/en/support-downloads/printers/industrial/zt610.html#Tab-item-e13faeefe6-tab

Installation instructions are here:

https://supportcommunity.zebra.com/s/article/000027281?language=en_US

🖶 ZDesigner ZT610-203dpi ZF	PL Printing Preference	is	×
Printer Settings			
Page Setup	Stock	Print p	review
🗇 Print Options	<u>S</u> elect:	Custom ~	
👳 Operation Mode	Media settings — Width:	4.087*	
Graphic Options	Height:	3.902 "	
Custom Commands	<u>M</u> edia type: Rotation:	Continuous labels V	23
💥 Maintenance	M <u>a</u> rk offset:	0"	
L Units	<u>M</u> irror 🥜		
1 Help and About	☐ <u>I</u> nverse ☐ <u>S</u> top on last e Stop offset:	orment 🔹	
Print test page Print test page Pownload your free copy of ZebraDesigner Essentials			
		OK Cancel	Apply Help

In Printing Preferences, Page Setup:

Print Options

ter Settings				
Page Setup	Print settings			Print preview
Print Options	Speed:	6.0 "/s 🗸 🗸	~	
	Darkness:	20 🗸 🏑	· ~	
Operation Mode	Printing mode:	Themal transfer 🛛 🗸 🥖	· •	
Graphic Options	Offsets		- 7	
Curture Commenda	Top:	0"		123
Custom Commands	Left:	0"		120
Maintenance	_			
	Advanced settings			
Units	Backfeed:	No backfeed 🗸 🖌	• ~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Help and About	Pause:	No pause \lor		
		1		
	Control characters:	Standard ~		
	<u>R</u> TC refresh:	Start print time \checkmark		
Print test page	Cancel jobs before p	inting		
11 TEPD 4	Cancel all currer	t and queued printing documents		
Download your free copy of	<u>D</u> elay:	1000 * ms		
<u>ZebraUesigner Essentials</u>	Passthrough			

Print test page	Passthrough			
锁。 ZEBRA	Enable passthr	ough mode		
Download your free copy of	Start sequence:	\${		
ZebraDesigner Essentials	End sequence:)s		

Operation mode: In **Mode**, click Applicator. Then set as shown:

🖶 ZDesigner ZT610-203dpi Z	PL Printing Preference		
Printer Settings			
Page Setup	Operation mode	Print provine	
👦 Print Options	Mode:	Applicator	
🖶 Operation Mode	<u>Ottset:</u>		
Graphic Options	Auxiliary port:	off ₹ 400	
Custom Commands	Application mode:	Signal high IZ3	
💥 Maintenance	Application label:	Feed mode Image: Contract of the second se	
🚛 Units	Reprint mode		
1 Help and About	Cutter	<u> </u>	
	<u>Type:</u>	Off ~	
	Cut every:	N/A a labels	
😨 Print test page			
Download your free copy of ZebraDesigner Essentials			
		OK Cancel Apply H	elp

μzι	Designer ZT610-203dpi 2	2PL Printing Preference	s		
rinte	er Settings				
D	Page Setup	Operation mode			Print preview
7	Print Options	Mode:	Rewind	✓	
	Operation Mode	<u>O</u> ffset:	0" 🔹 🖋 🗸		
		Applicator options	()		1
9	Graphic Options	Auxiliary port:	Off	~ 🖋 ~	400
>_	Custom Commands	Application mode:	Signal high	V	123
		Start signal print:	Pulse mode	V	
×	Maintenance	Application Jabel:	Feed mode	V	
L	Units	Reprint mode	<i>.</i> ✓		
		Ribbon low mo	de 📝 🗸		V V
i	Help and About	Cutter			
		<u>T</u> ype:	Off	\sim	
		Cut every:	N/A 📮 labels		
	Print test page				
18	er mit test page				
	tebra				
De	ownload your free copy of				
Z	ebraDesigner Essentials				
					Cancel Apply Hole
					Санса Нер

Then change **Mode** to Rewind.

Graphic Options

📮 ZI	1610 Prototype Printing Pr	references	×
Printe	r Settings		
	Page Setup	Dithering	-
7	Print Options	Photo Clipa	art
7	Operation Mode		
0	Graphic Options		
Σ.	Custom Commands		
×	Maintenance		
L	Units		
i	Help and About	Tell me more about dithering	
		Printer graphic options	-
		Image transfer mode: Direct print \checkmark	
	Print test nage	Graphics type: ZIP V	
	· · · · · · · · · · · · · · · · · · ·		
	徳. ZEBRA		
	ownload your free copy of ebraDesigner Essentials		
		OK Cancel Apply	Help

🚽 ZT610 Prototype Printing I	Preferences			>
Printer Settings				
Page Setup	Before print job			
👦 Print Options	Type:	Empty ~		
👦 Operation Mode		4		
Graphic Options	Before first page			
Custom Commands	Type:	Empty \checkmark		
💥 Maintenance	Contents:			* >
Units		4		▶
-	Before each page	e		
 Help and About 	Type:	Empty ~		
	Contents:			
		4		♥ >
😨 Print test page	Before elements	on each page		
N. ZEBRA	Type:	Empty ~		
Download your free copy of	Contents:			A
ZebraDesigner Essentials		4		•
			OK Cancel	Apply Help

Custom Commands should all be empty.

ZT610 Prototype Printing F	Preferences				
inter Settings					
Page Setup	After elements o	n each page			
Print Options	Type:	Empty	\checkmark		
Operation Mode		4		•	r >
Graphic Options	After each page				
Custom Commands	Type:	Empty	\sim		
🛠 Maintenance	Contents:			4	, F >
Units		4		Þ	
1 Help and About	After last page Type: Contents:	Empty	~	1	× >
😨 Print test page	After print job	4		Þ	
Download your free copy of	Type: Contents:	Empty	~		
ZebraDesigner Essentials		4			ĺ

In printer Properties, go to **Settings** tab, **Media feed.** Set as shown:

eneral Sharing	Ports Advance	d Color Management	Security Driver Settings			
🗄 Setup	м	edia feed				
🛠 Maintenan	ice	Label media feed acti What happens with I	on abel media after:			
Settings		Power up:	No feed \checkmark			
Support		Head closes:	No feed \checkmark	Apply		
Stocks	Pr	inter status				
A Fonts		Status checking Set how often printer	r status is checked.			
i Help and A	About	Status check type: During print				
		<u>M</u> inimum time betwe	en status checks:	0 • s		
	Re	estore				
		Restore factory defau	lts			
		Restore printer settin printer memory.	gs to factory defaults. This does not erase the items stored in	Restore Settings		
		Restore display settin	las			
领。.ZEE	BRA	Restore printer displa	y settings to factory defaults.	Restore Display		
Download your	free copy of	Restore power setting	gs			
ZebraDesigner	r Essentials	Restore printer powe	r settings to factory defaults.	Restore Power		