

Document: #HT000140

Document Title: Enter Printer Time via Zebra Setup Utilities

Product(s): Ti-1000Z

Procedure:

Zebra Setup Utilities (ZSU) are available for download <u>here</u>. You may need to scroll down the page to find the Zebra Setup Utilities.

Install the software on a computer that is connected to the printer via USB cable (such as a laptop).

Clear labels from the Bagger.

Open ZSU.

Once set up with ZSU, make sure the printer is highlighted, and click "Open Communication With Printer".

	ZDesigner 110Xi4 20	3 dat	ZDesigner 110Xi4 203 dpi	^	Install New Printer
	156001		USB002		📕 Uninstall Printer
Į	ZDesigner 110Xi4 20 (Copy 2) USB003	3 dpi	ZDesigner 110Xi4 203 dpi (Copy 3) USB006		📴 Refresh Printer List
l	ZDesigner 110Xi4 20 (Copy 4) USB007	3 dpi	ZDesigner 110Xi4 203 dpi (Copy 5) USB008		
	Configure Printer Settings			ownload Fonts and Graphics	
	Configure Printe	er Settings	Sector Do	wnload For	nts and Graphics
	Configure Printe	er Settings It Quality	Dor	wnload For	nts and Graphics
	Configure Printo	er Settings t Quality Connectivity	Too	wnload For 🖁 Open Pr Communi	nts and Graphics inter Tools cation With Printer

How To Service Documents from APPI



This window will appear.

You will need to change the time so that it is correct.

When typing in the commands, include the ^.

The change takes effect immediately.

^ХА

^ST11,02,2015,11,00,00,M^FS

^XZ

The example above reads:

^STMONTH, DAY, YEAR, HOUR, MINUTE, SECOND, FORMAT^FS





Parameter	Values
Month:	01 - 12
Day:	01-31
Year:	1998 – 2097
Hour:	00 – 23
Minute:	00 – 59
Seconds:	00 – 59
Format:	A (AM), P (PM), M (Military 24 hr)

When ready, click "Send To Printer".

Exit out of ZSU.

You can save this command for later use. Click **File – Save As**.

ner 110Xi4 203 dpi [ZPL]	-	
📱 📄 🏷 Send To Printer		

File name example: Set time.zpl

Load your label on the printer, and print. Confirm that the time is correct.